



Getting Started with AirSync and CJP

A. HOW TO PURCHASE AIRSYNC KIT

1. Go to www.airsync.aero
2. Click on **Store** (top tab)
3. Review the chart below to determine bridge configuration

Aircraft	Avionics	To Order
CJ1, CJ1+, CJ2, CJ3 Citation I / I-SP / II / SII / Bravo Citation III / V / VI / VII / X Citation Ultra / Encore / Premier	Collins Pro Line 21	Call AirSync Sales (301) 660-4656
CJ2+, CJ4 Citation Excel / XLS / XLS+ Citation Sovereign	Pro Line (21 or Fusion)	Call AirSync Sales (301) 660-4656
CJ2	Garmin G700 TXi	See Below
CJ3+ / M2	Garmin G3000	See Below
Citation Mustang	Garmin G1000	See Below
Citation Longitude / Latitude	Garmin G5000	See Below


If your aircraft model and/or avionics are not listed above, please contact AirSync at sales@air-sync.com.

For Garmin Equipped Aircraft

Select one of the following AirSync configurations:

Avionics	USB Type	Cable Length	SKU
Garmin	USB A	6 inch	AS25YR-262B
Garmin	USB A	36 inch	AS25YR-2617
Garmin	USB C	6 inch	AS25YR-2626
Garmin	USB C	36 inch	AS25YR-2627

4. Once you have determined the bridge configuration, enter the associated SKU into the search bar as seen below:



5. After Checkout
 - a. You will receive two emails:
 - Receipt of purchase
 - Activation code (This code will be needed during installation)
6. Congratulations on your purchase! No further action is required until your AirSync kit is delivered.

For Collins Proline Fusion/21 Equipped Aircraft:

1. Collins equipped aircraft require the **AirSync AIM**
2. The AIM system requires an STC
3. Contact AirSync Sales for assistance or to request a quote:
sales@air-sync.com or (805) 552-6746

B. HOW TO INSTALL AIRSYNC(Garmin)

1. You will receive the following:
 - a. AirSync Bridge-Gen 3
 - b. AirSync SD Card



AirSync Bridge unit and SD card

- c. Velcro kit
- d. Getting started instructions sheet
- e. GPS antenna
- f. Power cable

2. Create your AirSync account

- a. Watch an install video for Garmin equipped aircraft using the link below:
<https://air-sync.com/tutorials/>

Installation Steps


1. **Go to the AirSync Website**
 - a. Tap the **Login** button.
 - b. Scroll down and **Create a Free Account**.
2. **Set Up Aircraft**
 - a. After logging in, select **"Set up a new aircraft"**.
3. **Activation Code**
 - a. Check your email for the **activation code** (sent after invoice is issued).
4. **Billing Account**
 - a. If you're new, follow the prompt to **set up a billing account**.
5. **Aircraft Details**
 - a. Select your Aircrafts make/model/avionics.
 - b. Enter your **tail number** and **flight time**.
6. **Enter User Codes**
 - a. Locate the **user codes** for the **bridge** and **SD card** on your unit.
 - b. Enter both codes into the setup form.
7. **Default Profile**
 - a. Select a user profile if you are copying over permissions from another aircraft.
8. **3rd Party Integration** (*Professional Tier*)
 - a. Integration with 3rd party software is available to **Professional Tier** customers.
 - b. Select the services you'd like **AirSync** to send your recorded data to.
9. **Confirm Details**
 - a. Enter the **aircraft serial number**.
 - b. Review and **confirm all information**.
10. **Install Hardware**
 - a. Refer to the provided image or website for **SD card placement** in your MFD.
 - b. Plug the **bridge** into a **USB port or cigarette adapter**.
Tip: Power the bridge from the same battery as the MFD for best performance.

For the following Garmin equipped aircraft, insert the **AirSync SD Card** into the indicated slot:

- Cessna M2 Garmin G3000 Flight Deck C25B
- Cessna M2 Gen 2 Garmin G3000 NXi Flight Deck C25M
- Cessna Citation Latitude Garmin G5000 Flight Deck C68A
- Cessna Citation 10+ Garmin G5000 Flight Deck
- Cessna CJ3+ Garmin G3000 NXi Flight Deck C25B



- Cessna Citation 1 Garmin G600TXi Flight Deck
- Cessna Citation V Garmin G700TXi Flight Deck w/o EIS w/o Fuel Sender



- Cessna Mustang Garmin G1000 NXi Flight Deck

