



## Purchasing Guide for HJOPA

### For Garmin Equipped Aircraft

(G3000, G3000 NXI)

Use the table below to determine which USB cable works best for your aircraft. The AirSync Bridge must be powered by the same battery that powers the MFD.

Once you've selected the appropriate cable, choose the cable length that best fits your aircraft and click the "Press Here" button to access the HJOPA Bundle.

If you have any questions, please contact sales at (301) 660-4656.  
Use promo code HJOPA at checkout to receive \$150 off.

Select one of the following AirSync configurations:

Avionics	USB Type	Cable Length	SKU	Link to Purchase
Garmin	USB A	6 inch	AS262Q-262S	<a href="#">Press Here</a>
Garmin	USB A	36 inch	AS262Q-262T	<a href="#">Press Here</a>
Garmin	USB C	6 inch	AS262Q-262U	<a href="#">Press Here</a>
Garmin	USB C	36 inch	AS262Q-262V	<a href="#">Press Here</a>

## HOW TO INSTALL AIRSYNC

1. You will receive the following:
  - a. AirSync Bridge-Gen 3
  - b. AirSync SD Card
  - c. Velcro kit
  - d. Getting started instructions sheet
  - e. GPS antenna
  - f. Power cable



AirSync Bridge unit and SD card

2. Create your AirSync account

- a. Watch an install video for Garmin equipped aircraft using the link below:  
<https://air-sync.com/tutorials/>

## Installation Steps

1. **Go to the AirSync Website ([www.air-sync.aero](http://www.air-sync.aero))**
  - a. Tap the Login button.
  - b. Scroll down and Create a Free Account.
2. **Set Up Aircraft**
  - a. After logging in, select “Set up a new aircraft”.
3. **Activation Code**
  - a. Check your email for the activation code (sent after invoice is issued).
4. **Billing Account**
  - a. If you’re new, follow the prompt to set up a billing account.
5. **Aircraft Details**
  - a. Select your Aircrafts make/model/avionics.
  - b. Enter your tail number and flight time.
6. **Enter User Codes**
  - a. Locate the user codes for the bridge and SD card on your unit.
  - b. Enter both codes into the setup form.
7. **Default Profile**
  - a. Select a user profile if you are copying over permissions from another aircraft.
8. **3rd Party Integration (Professional Tier)**
  - a. Integration with 3rd party software is available to Professional Tier customers.
  - b. Select the services you’d like AirSync to send your recorded data to.
9. **Confirm Details**
  - a. Enter the aircraft serial number.
  - b. Review and confirm all information.
10. **Install Hardware**

- a. Refer to the provided image or website for SD card placement in your MFD.
- b. Plug the bridge into a USB port or cigarette adapter.

*Tip: Power the bridge from the same battery as the MFD for best performance.*